


PRIME ODF


The New Generation of
Optical Distribution Systems



PRIME ODF

Key features and benefits

The compact and versatile PRIME optical distribution modules are suitable for the flexible use of fiber optic terminations. They enable fast and simple installation in cramped environments as well as at sites with high fiber density. The tool-free system approach and the high modularity guarantee uncomplicated migration into new and existing network infrastructures.



Top fiber density

Up to 192/384 fiber connections on 3U (height units) or up to 2,688/5,376 connectors in a 2.20m PRIME ODF rack.



Optimized space

Also suitable for locations with limited space thanks to high concentration.



Modular use

The individual modules are easy to combine, extend and swap.



Tool-free migration

Tool-free installation of system components in the R&M ETSI rack.




Consistent and flexible

Optimized fiber management concept, protects the fibers during splice and maintenance work in the PRIME ODF rack.



Mirrored system configuration

Separate area for installation cables and patch cords. More reliability during operation.



030.6210

PRIME-FTU (Fiber Termination Unit)

Splice/patch solution. Fully integrated splice area and direct front access. Up to 48 SC, E-2000 or LC-D adapters as well as 96 splice connections. Protection of the fibers in splice and maintenance work thanks to flexible fiber routing.



030.6213

PRIME-FSU (Fiber Splice Unit)

Pure splicing solution. Thanks to MCM trays, can be upgraded to a maximum number of fibers of 96 ANT (crimp) or 192 HS (shrink) splice connections. The fiber routing channel under the splice carrier protects the fibers on the way to the splice area.



030.6212

PRIME-FBU (Fiber Breakout Unit)

Simple connection of pre-terminated cables. Routing and connection of cables from the front and rear to the connectors depending on the rack type (ETSI, 19 inch). Securing of the fanout cables with a strap.



030.6211

PRIME-FOU (Fiber Overlength Unit)


Storage tray for surplus loose tube cables or unconnected patch cords. The tray can accommodate up to 30m excess fiber.



030.7061

PRIME-RFU (Ribbon Fiber Unit)

The PRIME-RFU is optimized for fast installation and network migration for ribbon fibers. The splice tray has a fully integrated splice protection holder for 8F / 12F of ribbon splice contactors. With LC Duplex with 48 connectors up to 96 fibers; with 48 SC connectors only up to 48 fibers possible, and up to 288 splice connections in the pure splicing variant.



030.7639

PRIME-STU (Single Termination Unit)

The new PRIME-ODF Single Termination Unit (STU) and Single Splice Unit (SSU) expand the existing PRIME-ODF range. With these two solutions, it is possible to store individual fibers or subscribers in dedicated splice trays. The PRIME-SCM fiber units stand for even more security in network operation and avoid unnecessary documentation effort for network operators with two- or four-fiber concepts.

PRIME ODF

Key benefits



Diversity

- Migration both to existing and new network infrastructures
- Front or rear mounting in 19" and ETSI racks
- Modular application (pure splice, splice patch, breakout applications, fiber storage)



Simple installation

- Front access to connectors
- Tool-free installation of the 3U sub-rack
- Simple and secure routing of loose tube cables to the splice trays
- Fine distribution of the fibers to the individual modules
- Terminal block for transport tubes



Reliable operation during maintenance work

- Greatest network availability thanks to optimized fiber routing (moving channel)
- Connection detection without having to pull out the drawer thanks to front access
- Simplified cleaning and inspection thanks to service position of connectors
- Consistent fiber management concept in the R&M ODF rack
- Fast fiber recognition thanks to an intelligent labeling concept

Complementary products



Raceway

Fast and reliable fiber guidance between optical network components.



Pre-terminated cables

Plug-and-play solution enables simple installation of multifiber cable connections indoors.



Patch cords

Enables fast patching of local connections.



We are represented by almost 3000 qualified partners worldwide.
Find your local partner at: www.rdm.com

